

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Pennsauken Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	7	10	0	0	7	9
AIDS-CD4 Only	#	#	#	#	29	39
HIV Only	#	#	#	#	38	51
-----	-----	---	-----	---	-----	---
Total	73	100	#	#	74	100

2. Current Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	23	32	0	0	23	31
5-12	#	#	Black, Not Hispanic	#	#	#	#	34	46
13-19	#	#	Hispanic	16	22	0	0	16	22
20-29	6	8	Other/Unknown	#	#	#	#	#	#
30-39	24	32	-----	-----	---	-----	---	-----	---
40-49	29	39	Total	73	100	#	#	74	100
50+	14	19							
Unk.	0	0							
-----	-----	---							
Total	74	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	25	50	0	0	25	34
Injection drug user (IDU)	#	#	#	#	11	15
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	24	8	35	20	27
-----	-----	---	-----	---	-----	---
Total	50	100	23	100	73	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	.	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Pennsauken Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	15	(21)	11 (79)	0	(.)	0 (.)	15	(21)
Other OI w/o PCP	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
No Disease Listed	39	(55)	10 (27)	0	(.)	0 (.)	39	(55)
Total	71	(100)	35 (51)	0	(.)	0 (.)	71	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	0	0	White, Not Hispanic	28	39	0	.	28	39
5-12	0	0	Black, Not Hispanic	30	42	0	.	30	42
13-19	0	0	Hispanic	12	17	0	.	12	17
20-29	9	13	Other/Unknown	#	#	0	.	#	#
30-39	31	44	-----	-----	-----	-----	-----	-----	-----
40-49	22	31	Total	71	100	0	.	71	100
Over 49	9	13							
Unknown	0	0							
-----	-----	-----							
Total	71	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	24	45	0	0	24	34
Injection drug user (IDU)	11	21	5	28	16	23
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	10	19	5	28	15	21
Total	53	100	18	100	71	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Pennsauken Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1986	#	#	#
1987	#	#	#
1989	#	#	#
1990	#	#	#
1991	6	6	100%
1992	6	5	83%
1993	#	#	#
1994	9	5	56%
1995	9	5	56%
1996	#	0	0%
1997	#	0	0%
1998	#	#	#
1999	6	#	#
2000	7	#	#
2001	5	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	71	35	49%